# **Safety Data Sheet**

Issue Date: 02-Oct-2015 Revision Date: 09-Oct-2015 Version 1

# 1. IDENTIFICATION

**Product Identifier** 

Product Name Dragon Bright

Other means of identification

**SDS #** JAR-020

UN/ID No UN2922

Recommended use of the chemical and restrictions on use

Recommended Use Cleaning agent.

Details of the supplier of the safety data sheet

**Distributor**Power Wash Store
2345 W Mill RD
Glendale, WI 53209

**Emergency Telephone Number** 

Company Phone Number 1-800-288-0741

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

# 2. HAZARDS IDENTIFICATION

### Physical State Liquid

# Classification

Acute toxicity - Oral	Category 2
Acute toxicity - Dermal	Category 1
Acute toxicity - Inhalation (Dusts/Mists)	Category 2
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1

## Signal Word Danger

#### **Hazard Statements**

Fatal if swallowed
Fatal in contact with skin
Fatal if inhaled
Causes severe skin burns and eye damage



#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Do not get in eyes, on skin, or on clothing

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

Wear respiratory protection

Wear protective gloves/protective clothing/eye protection/face protection

#### **Precautionary Statements - Response**

Immediately call a poison center or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a poison center or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Immediately call a poison center or doctor/physician

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a poison center or doctor/physician

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Rinse mouth

Do not induce vomiting

## **Precautionary Statements - Storage**

Store locked up

Store in a well-ventilated place. Keep container tightly closed

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Sulfuric Acid	7664-93-9	>20
Hydrofluoric acid	7664-39-3	>10
Ethylene Glycol Monobutyl Ether	111-76-2	>2

<sup>\*\*</sup>If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

# 4. FIRST-AID MEASURES

#### **First Aid Measures**

**General Advice** Provide this SDS to medical personnel for treatment.

Eye Contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a poison center or

doctor/physician.

Skin Contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower. Immediately call a poison center or doctor/physician.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Immediately call a poison center or doctor/physician.

Ingestion IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Rinse mouth.

Do not induce vomiting. Give several glasses of water or milk to drink. Never give anything

by mouth to an unconscious person.

#### Most important symptoms and effects

**Symptoms** Causes severe skin burns and eye damage. Fatal if swallowed. Fatal in contact with skin.

Fatal if inhaled.

#### Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

#### **Specific Hazards Arising from the Chemical**

Not determined.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

**Personal Precautions**Use personal protective equipment as required.

**Environmental Precautions** See Section 12 for additional Ecological Information.

## Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for Clean-Up** Keep in suitable, closed containers for disposal.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on Safe Handling Wash face, hands, and any exposed skin thoroughly after handling. Do not eat, drink or

smoke when using this product. Use only outdoors or in a well-ventilated area. Do not breathe dust/fume/gas/mist/vapors/spray. Wear protective gloves/protective clothing and eye/face protection. Wear respiratory protection. Do not get in eyes, on skin, or on clothing.

#### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed and store in a cool, dry and well-ventilated place. Store locked

up.

Incompatible Materials None known based on information supplied.

Revision Date: 09-Oct-2015 JAR-020 - Pro Bright

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH	
Sulfuric Acid	TWA: 0.2 mg/m <sup>3</sup> thoracic fraction	TWA: 1 mg/m <sup>3</sup>	IDLH: 15 mg/m <sup>3</sup>	
7664-93-9		(vacated) TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	
Hydrofluoric acid	TWA: 2.5 mg/m <sup>3</sup> F	TWA: 2.5 mg/m <sup>3</sup> F	IDLH: 30 ppm	
7664-39-3	S*	TWA: 2.5 mg/m <sup>3</sup> dust (vacated) TWA: 2.5 mg/m <sup>3</sup>	Ceiling: 6 ppm 15 min	
	Ceiling: 2 ppm F		Ceiling: 5 mg/m <sup>3</sup> 15 min	
		(vacated) STEL: 6 ppm F	TWA: 3 ppm	
			TWA: 2.5 mg/m <sup>3</sup>	
Ethylene Glycol Monobutyl Ether	TWA: 20 ppm	TWA: 50 ppm	IDLH: 700 ppm	
111-76-2		TWA: 240 mg/m <sup>3</sup>	TWA: 5 ppm	
		(vacated) TWA: 25 ppm	TWA: 24 mg/m <sup>3</sup>	
		(vacated) TWA: 120 mg/m <sup>3</sup>		
		(vacated) S*		
		S*		

#### Appropriate engineering controls

**Engineering Controls** Apply technical measures to comply with the occupational exposure limits. Showers.

Eyewash stations. Ventilation systems.

# Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Refer to 29 CFR 1910.133 for eye and face protection regulations.

**Skin and Body Protection** Refer to 29 CFR 1910.138 for appropriate skin and body protection.

**Respiratory Protection** Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

**Physical State** Liquid

**Appearance** Not determined Odor Strong Acid Not determined Color Blue **Odor Threshold** 

Property Values Remarks • Method

Hq <1 **Melting Point/Freezing Point** Not determined **Boiling Point/Boiling Range** Not determined Flash Point Not determined **Evaporation Rate** Not determined Flammability (Solid, Gas) Not determined **Upper Flammability Limits** Not determined **Lower Flammability Limit** Not determined **Vapor Pressure** Not determined **Vapor Density** Not determined

**Specific Gravity** 1.43

**Water Solubility** Completely Soluble Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined

Explosive Properties Not determined Oxidizing Properties Not determined

# 10. STABILITY AND REACTIVITY

#### Reactivity

Not reactive under normal conditions.

#### **Chemical Stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

# **Conditions to Avoid**

Keep out of reach of children.

#### **Incompatible Materials**

None known based on information supplied.

# **Hazardous Decomposition Products**

None known based on information supplied.

# 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure

**Product Information** 

**Eye Contact** Causes severe eye damage.

**Skin Contact** Causes severe skin burns. Fatal in contact with skin.

**Inhalation** Fatal if inhaled.

**Ingestion** Fatal if swallowed.

# **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50	
Sulfuric Acid 7664-93-9	= 2140 mg/kg ( Rat )	-	= 510 mg/m <sup>3</sup> (Rat) 2 h	
Hydrofluoric acid 7664-39-3	-	-	= 0.79 mg/L (Rat) 1 h	
Ethylene Glycol Monobutyl Ether 111-76-2	= 470 mg/kg (Rat)	= 99 mg/kg(Rabbit)	= 450 ppm (Rat) 4 h	
Proprietary	= 2590 mg/kg ( Rat ) = 1310 mg/kg ( Rat )	= 1780 μL/kg(Rabbit)= 2 mL/kg( Rabbit)	-	
Proprietary	= 2400 mg/kg (Rat)	> 7940 mg/kg (Rabbit)	-	

#### Information on physical, chemical and toxicological effects

**Symptoms** Please see section 4 of this SDS for symptoms.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity

IARC has classified "strong inorganic acid mist containing sulfuric acid" as a Category 1 carcinogen, substance that is carcinogenic to humans. This classification does not apply to liquid forms of sulfuric acid. Inorganic mist is not generated under normal use of this product.

Chemical Name	ACGIH	IARC	NTP	OSHA
Sulfuric Acid 7664-93-9	A2	Group 1	Known	X
Ethylene Glycol Monobutyl Ether 111-76-2	А3	Group 3		

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 3 IARC components are "not classifiable as human carcinogens"

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

# **Numerical measures of toxicity**

Not determined

# 12. ECOLOGICAL INFORMATION

# **Ecotoxicity**

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

#### **Component Information**

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Sulfuric Acid 7664-93-9		500: 96 h Brachydanio rerio mg/L LC50 static		29: 24 h Daphnia magna mg/L EC50
Hydrofluoric acid 7664-39-3		660: 48 h Leuciscus idus mg/L LC50		270: 48 h Daphnia species mg/L EC50
Ethylene Glycol Monobutyl Ether 111-76-2		1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50		1000: 48 h Daphnia magna mg/L EC50 1698 - 1940: 24 h Daphnia magna mg/L EC50
Proprietary		868: 96 h Lepomis macrochirus mg/L LC50 static 360: 96 h Oncorhynchus mykiss mg/L LC50 static		527: 48 h Daphnia magna mg/L EC50

# Persistence/Degradability

Not determined.

#### **Bioaccumulation**

Not determined.

# **Mobility**

Chemical Name	Partition Coefficient
Hydrofluoric acid	-1.4
7664-39-3	
Ethylene Glycol Monobutyl Ether	0.81
111-76-2	

Proprietary	3.49		

## **Other Adverse Effects**

Not determined

# 13. DISPOSAL CONSIDERATIONS

#### **Waste Treatment Methods**

**Disposal of Wastes**Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

#### **US EPA Waste Number**

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Hydrofluoric acid	U134			U134
7664-39-3				

#### California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status		
Sulfuric Acid	Toxic		
7664-93-9	Corrosive		

# 14. TRANSPORT INFORMATION

**Note** Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT

UN/ID No UN2922

Proper Shipping Name Corrosive liquids, toxic, n.o.s. (Hydrogen fluoride, Sulfuric acid)

Hazard Class 8
Subsidiary Hazard Class 6.1
Packing Group ||

IATA

UN/ID No UN2922

Proper Shipping Name Corrosive liquids, toxic, n.o.s. (Hydrogen fluoride, Sulfuric acid)

Hazard Class 8
Subsidiary Hazard Class 6.1
Packing Group ||

**IMDG** 

UN/ID No UN2922

Proper Shipping Name Corrosive liquids, toxic, n.o.s. (Hydrogen fluoride, Sulfuric acid)

Hazard Class 8
Subsidiary Hazard Class 6.1
Packing Group II

# 15. REGULATORY INFORMATION

# **International Inventories**

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Sulfuric Acid	Present	Χ		Present		Present	Х	Present	Х	X
Hydrofluoric acid	Present	Х		Present		Present	Х	Present	Х	Х
Ethylene Glycol Monobutyl Ether	Present	Х		Present		Present	Х	Present	Х	Х

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### US Federal Regulations

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

ziiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii	prication and Elability 7 tot (CETTO)	=, 1, (10 01 11 002)		
Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)	
Sulfuric Acid 7664-93-9	1000 lb	1000 lb	RQ 1000 lb final RQ RQ 454 kg final RQ	
Hydrofluoric acid 7664-39-3	100 lb	100 lb	RQ 100 lb final RQ RQ 45.4 kg final RQ	

## **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Sulfuric Acid - 7664-93-9	7664-93-9	43.8	1.0
Hydrofluoric acid - 7664-39-3	7664-39-3	11.9	1.0
Ethylene Glycol Monobutyl Ether - 111-76-2	111-76-2	4.2	1.0

#### CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sulfuric Acid	1000 lb			Χ
Hydrofluoric acid	100 lb			X

# **US State Regulations**

# **California Proposition 65**

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65	
Sulfuric Acid - 7664-93-9	Carcinogen	

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Sulfuric Acid 7664-93-9	X	X	Х
Hydrofluoric acid 7664-39-3	X	X	Х
Ethylene Glycol Monobutyl Ether 111-76-2	X	X	X

# **16. OTHER INFORMATION**

**Health Hazards Flammability** Instability **Special Hazards NFPA** Not determined Not determined Not determined Not determined **HMIS Health Hazards Flammability Physical Hazards Personal Protection** Not determined Not determined Not determined Not determined

Issue Date:02-Oct-2015Revision Date:09-Oct-2015Revision Note:New format

# **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**