


- ✓ Ergonomical and versatile
- ✓ Easy to maneuver
- ✓ Ready to use
- ✓ Complete stainless steel

The Hurricane makes it easier to clean underneath vehicles. Can be used on cars, trucks, agricultural machinery, at construction sites and other types of vehicles without using a car lift. There are various heights and models with diameters of 21" or 30", and they come with HP nozzles or with stabilizer nozzles. The Hurricane Series is time saving and cost efficient and can be used with cold or hot pressure pumps.




### TECHNICAL DATA

**Pressure** 4000 psi  
**Temperature** 250°F  
**Inlet** 3/8" NPTF



**80.611**  
**HUR-520**



**80.614**  
**HUR-750**

### FEATURES

#### Stabilizer Nozzles

With the stabilizer nozzle, you can increase the distance and pressure impact to your surface. Standard on 80.613 and 80.614.



#### HP-Nozzles

Standard HP, 15° nozzles are used to achieve the cleaning on the object. These nozzles are used on the models 80.611 and 80.612.



#### Rotor Arms

Can withstand up to 4000 psi, are precision welded and balanced.



Part No. 82.891 ø18.5"    Part No. 82.9014 ø27.5"

#### Swiss Engineering

High rpm stainless steel swivel features reinforced self lubricated stainless steel ball bearings for improved performance. The dual spring based carbide seal system, guarantees long lasting operation under tough conditions.



Part No. 58.553

### Hurricane

Name	Part No.	ø	min. Clearance	Weight	HP-Nozzles	HP-Gun	Caster/Wheels
<b>HUR-520</b>	<b>80.611</b>	21"	6.5"	33 lbs	2x 1503	1x	1x ø2¼", 2x ø4"
<b>HUR-750</b>	<b>80.612</b>	30"	6.5"	42 lbs	3x 1503	1x	1x ø2¼", 2x ø4"
<b>HUR-520</b>	<b>80.613</b>	21"	9.1"	37 lbs	2x 0003 EG	1x	1x ø2¼", 2x ø4"
<b>HUR-750</b>	<b>80.614</b>	30"	9.1"	45 lbs	3x 0003 EG	1x	1x ø2¼", 2x ø4"

Other nozzles sizes please order separately.



#### Accessories

Name	Part No.	Nozzles	HP-Gun	Upper Fork	LP-Hose	Weight
<b>Low pressure package</b>	<b>80.9011</b>	--- *	1x	1x	1x	8.4 lbs

\* Nozzles not included, please order separately.

**Important: Do not use unprotected!**